



UNLEASHING THE POWER OF EV REVOLUTION

INTRODUCING





Certified Range 236 KM^*

On-Road Range 205±5 Km*









Gradeability







Climb Assist Mode



ULTRA PERFORMANCE. UNMATCHED POTENTIAL.



205±5 kms Real Range

Tested in real conditions. No range anxiety.



Top Speed of 55 km/h

Stay ahead of traffic. Get more rides in a day.



Peak Power of 9.55 kW, Torque of 45 Nm

Strong pickup. Fast acceleration. More trips, more income.



Climb Assist Mode

Power surge on slopes. No mode change required.



Gradeability of 28.3%

Handles slopes & flyovers effortlessly.





10.2 kWh LFP Battery

Longer life. More uptime. Less worry.



Quick charging in

Charger

3 hrs 45 mins..



Strong Build Quality

Metal body designed for Indian roads.



INTRODUCING

The Market

ULTRA TECH. ULTRA CONTROL.

4G Telematics System

Live tracking, insights & diagnostics – all on your phone



Know your vehicle's status anytime, anywhere



Plan trips smarter and reduce downtime



Stay in control of your business, even when you're off the road



Secure your vehicle from far away using remote immobilization

Digital Speedometer

Displays speed, State of Charge, Distance to Empty, Error alerts, and more...



Stay informed at a glance while driving



Track battery health and trip range in real time



Avoid surprises with timely alerts and smart data

OWN THE ULTRA ADVANTAGE

Trust built over 27 years with 6 years of Electric excellence




3 Wheeler electric brand

India's most trusted



Low operating cost





Nationwide service network Strong after-sales support,

wherever you go

2,25,000 KM*/

Drive worry-free, year after year.



Based on UT, State, City Policies



Technical Specifications



Attributes	Apé E-City Ultra
Vehicle Category	L5M
Seating Capacity	D + 3 Seater
Battery & Power	
Battery Type, Voltage	Lithium Ion, 51.2 V
Battery Capacity	Rated: 10.2 kWh
Peak Power	9.5 kW @ 2500 RPM
Peak Torque	45 Nm
Transmission	
Transmission Type	PT gear with differential (Integral)
Suspension & Brakes	
Front Suspension	Leading arm, constant rate coil spring with hydraulic damper
Rear Suspension	Rubber spring with hydraulic damper
Steering	Handle Bar type
Brake	Hydraulic, Self-adjusting
Tyre	120 / 80 R12, Tubeless
Dimensions	
Wheelbase	1920 mm
Overall Width	1370 mm
Overall Length	2752 mm
Overall Height	1780 mm
Minimum Ground Clearance	170 mm
Weights	
Gross Vehicle Weight (With Battery)	748 kg
Vehicle Kerb Weight	448 kg
Performance	
Top Speed	55 km/h
Typical Driving Range (Certified)	236km (F Mode)
Gradeability	28%
Roof Type	
Roof Type	Soft type
Home Charger	
Type	48 V / 3000 W Off-board charger
Charge Duration	3 hours, 45 mins

OWN THE MOST PROFITABLE ELECTRIC 3-WHEELER. DRIVE THE ULTRA CHANGE.



PIAGGIO VEHICLES PRIVATE LIMITED

1st Floor, Sky One Corporate Park, Survey No. 239/02, Airport Road, Viman Nagar, Pune-411032, Maharashtra www.piaggio-cv.co.in

For sales enquiry, mail on ape.electric@piaggio.co.in

Please note that the images and technical specifications shown in the chart may showcase accessories and equipment which are not part of the standard fitment. Piaggio reserves the rights to alter the technical specifications and features without prior notice.

Specifications are subject to improvements / changes.