



# BADI GAADI BADI KAMAI

Naya  
~~Auto~~  
**METRO**



UP TO  
**36%\***  
BIGGER THAN  
REGULAR-SIZED  
RICKSHAW



**Stylish  
Look**



**High Mileage  
upto 45 km/kg\***



**2 USB  
Chargers**



**Tubeless  
Tyres**



**40 ltr  
CNG Tank**



**SMART  
LUGGAGE  
SPACE**



\*T&C Apply.



# PROVEN ENGINE, POWERFUL RESULTS.



The Apé Metro is a modern vehicle designed to meet the changing needs of the city. It boasts India's first 230cc 3-Valve technology engine, which has proven to deliver superior performance and a range of benefits that make every ride a joy.



## BUILD STRONG TO LAST LONG

The Apé Metro is built to withstand the challenges of city roads, with a durable and robust frame, advanced tubeless tyres, powerful brakes, and heavy duty suspension.



### Best in class power with Higher Torque

The 3 valve engine results in more efficient combustion for better pick-up and great power.



### Easy on pocket with Low maintenance

3 valve engine ensures less wear and tear which assures lower maintenance.



### Best in class Mileage

Enjoy the CNG advantage of better mileage and greater earnings every time you drive.

## CONTEMPORARY DESIGN WITH ADVANCED FEATURES.



Stylish design with new decal

Tubeless tyres for improved performance and reliability

Beige interior with a new dashboard



Dual colour seat

Stylish rear bumper


Dual USB fast charger

Driver compartment light

Engine compartment light for safety

## Apé Metro BS VI: Technical Specifications:

Fuel	CNG
<b>Engine</b>	
Type	Forced Air Cooled Engine, 4-stroke
Displacement	230cc
Max Power	6.90 kW @ 4700 rpm
Max Torque	16.30 Nm @ 2400 rpm
<b>Transmission</b>	
Clutch	Multi plate wet type
Gear Box	Constant mesh
Gears	4 Forward, 1 Reverse
<b>Suspension</b>	
Front	Hydraulic Telescopic Shock Absorber With Helical Compression Spring with dampener
Rear	Hydraulic Telescopic Shock Absorber With Rubber Compression Spring with dampener
<b>Steering</b>	
Steering	Handle bar type
<b>Brake &amp; Tyre</b>	
Brake	Drum Brake Hydraulically Actuated Internal Expanding Shoe Type
Tyre	4.50-10,8 PR
<b>Electrical System</b>	
System Voltage	12V DC
Battery Rating	35 Ah
<b>Dimensions</b>	
Wheelbase	1920 mm
Overall Width	1435 mm
Overall Length	2880 mm
Overall Height	1920 mm
Minimum Ground Clearance	200 mm
<b>Weight</b>	
GVW	780 Kg
Kerb Weight	480 Kg
Seating Capacity	Driver + 3 Passenger
<b>Performance</b>	
Maximum Gradeability	26.7%
Fuel Tank Capacity	CNG: 40 Ltr, Petrol: 2.8 Ltr.
Maximum Speed	60 Km/h



Dealer

### PIAGGIO VEHICLES PRIVATE LIMITED

1st Floor, Sky One Corporate Park, Survey No. 239/02,  
Airport Road, Viman Nagar, Pune-411032  
Tel.: 020 - 6749 2310 | www.piaggio-cv.co.in

Please note that the images and technical specifications shown in the chart may showcase accessories and equipment which are not part of the standard fitment. Piaggio reserves the rights to alter the technical specifications and features without prior notice.

Specifications are subject to improvements / changes.